### **TUNGSRAM**

Innovation is our heritage EST. 1896





# Single Ended Halogen HX48 230-240V 93106390

#### **Product information**

Quartz lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs - Chromised seal protection up to 500° C.

#### **Application areas**









## Single Ended Halogen HX48 230-240V 93106390

#### Product data

Product Code	93106390
Light Center Length [mm]	127
Bulb Shape	Globe
Bulb Diameter [mm]	47
Maximum Overall Length [mm]	210
Net weight per piece [g]	300
Gross weight per piece [g]	473
Brand	Tungsram
Cap/Base	G38

#### Performance data

Rated Lumens [lm]	82000
Weighted energy consumption [kWh/1000h]	3000.0
Energy efficiency class (EEC)	G
Rated Life [h]	400
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	82000
Colour Rendering Index (CRI) [Ra]	100

#### Electrical data

Rated power [W]	3000.0
Coil type	C-13
Ballast Required	No
Nominal power [W]	3000
Nominal lamp voltage [V]	230



### Single Ended Halogen HX48 230-240V 93106390

#### Logistic data

DUN Code	15994100021855
EAN Code	000000000000
Pack Quantity	1
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	18 EUR, 23 UK
Layer quantity EUR	18
Layer quantity UK	23
Pallet quantity EUR (PC)	126
Pallet quantity UK (PC)	161
Outer case size	340 x 135 x 140 (mm)
Product status	Available

#### Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

#### Disclaimer

Special Purpose Lamp, Not suited for household illumination