TUNGSRAM

Innovation is our heritage EST. 1896





PAR 56 300PAR56/NSP 230V 93106404

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- · Choice of beam widths
- · Excellent colour rendering
- High efficiency combined with low operating costs
- · Robust and reliable
- UV control
- Easy retrofit
- · Colour consistent throughout life
- · Colour blends with halogen and fluorescent

Application areas



Club and Disco







Product data

Product Code	93106404
Bulb Shape	PAR
Bulb Finish	Aluminized
Bulb Diameter [mm]	177.8
Maximum Overall Length [mm]	127
Net weight per piece [g]	625
Gross weight per piece [g]	695
Brand	Tungsram
Cap/Base	G16d

Performance data

Nominal/ Rated Beam Angle [°]	19
Nominal center beam candlepower (CBCP) [cd]	40000
Rated Lumens [lm]	1900
Weighted energy consumption [kWh/1000h]	300.0
Useful lumens (at 90° cone) [lm]	1900
Energy efficiency class (EEC)	G
Rated Life [h]	2000
Nominal correlated colour temperature (CCT) [K]]	2750
Nominal lumens [lm]	3450

Electrical data

Rated power [W]	300.0
Coil type	CC-13
Ballast Required	No
Nominal power [W]	300
Nominal lamp voltage [V]	230



Logistic data

DUN Code	15994100022043
EAN Code	5994100022046
Pack Quantity	12
Layer quantity	132 UK
Layer quantity UK	132
Pallet quantity UK (PC)	264
Outer case size	153 x 153 x 139 (mm)
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Disclaimer

Special purpose lamp – Stage Studio. Not suitable for household illumination.