# **TUNGSRAM**

Innovation is our heritage EST. 1896



### Single Ended Halogen CYX-Q2000T10/4CL 120V 93106545

## Product information

Quartz lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs -Chromised seal protection up to 500° C.

#### **Application areas**



(晉) Film and Broadcast (詞) Theatre





#### Product data

Product Code	93106545
Light Center Length [mm]	127
Bulb Shape	Tubular
Bulb Diameter [mm]	32
Maximum Overall Length [mm]	216
Net weight per piece [g]	189
Gross weight per piece [g]	330
Brand	Tungsram
Cap/Base	G38

#### Performance data

Rated Lumens [lm]	59000
Weighted energy consumption [kWh/1000h]	2120.0
Energy efficiency class (EEC)	G
Rated Life [h]	400
Nominal correlated colour temperature (CCT) [K]] 3200	
Nominal lumens [lm]	59000
Colour Rendering Index (CRI) [Ra]	100

#### Electrical data

Rated power [W]	2000.0
Coil type	C-13
Dimming Capability	Yes
Ballast Required	Yes
Nominal power [W]	2000
Nominal lamp voltage [V]	120

#### Logistic data

DUN Code	15994100021787
EAN Code	5994100021780
Pack Quantity	6
Layer quantity	216 EUR, 270 UK
Layer quantity EUR	216
Layer quantity UK	270
Pallet quantity EUR (PC)	864
Pallet quantity UK (PC)	1080
Outer case size	190 x 130 x 230 (mm)
Product status	Available

Downloads & Links Go to the catalog site (HTTP) Entertainment Solution Spectrum Catalogue (PDF) Lighting design tools & calculators (HTTP) High-res images / Technical drawings (HTTP)

#### Disclaimer

Special Purpose Lamp, Not suited for household illumination



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.